Univ. of California, Irvine

FINAL TECHNICAL REPORT

ONR CONTRACT #N00014-87-K-0518

Analysis of neural systems involved in modulation of memory storage

06/01/87 - 05/31/90

James L. McGaugh, Principal Investigator

→The research supported by this contract over the past three years examined the role of neuromodulatory systems in the modulation of memory sto-The research was based on extensive evidence from previous rage processes. studies indicating that memory storage processes are modulated by neuromodulatory systems activated by learning experiences. It is well documented that, in laboratory animals, retention is modified by posttraining administration of stress-related hormones as well as neurotransmitters and drugs that influence hormonal and neurotransmitter systems (McGaugh, 1989; McGaugh and Gold, 1989). Research in laboratory has examined the effects of treatments affecting adrenergic, cholinergic, opioid peptidergic and, most recently, GABAergic systems. (Brioni and McGaugh, 1988; Castellano, Brioni and McGaugh, in press). Previous studies indicated that these neuromodulatory systems may influence memory through effects involving the amygdaloid complex. More generally, the findings of preliminary studies suggested that the amygdala may serve to integrate the effects of neuromodulatory systems on memory storage (McGaugh, 1989).

The aim of the research supported by this contract was, 1) to increase our understanding of the locus of brain regions involved in the effects, on memory of treatments affecting neuromodulatory systems, and 2000 to addermine whether treatments affecting memory storage work through a common set of brain systems. ()

Experiments supported by this contract have provided additional evidence that treatments affecting hormonal and neurotransmitter systems influence memory through effects involving the amygdala. We have found that, in rats, retention, as assessed in two tasks (inhibitory avoidance and Y-maze discrimination) is enhanced by posttraining intra-amygdala injections of the opiate antagonist naloxone (Introini-Collison, Nagahara and McGaugh, 1989). The further finding that this effect is blocked by concurrent administration of the β -adrenergic antagonist propranolol is consistent with previous findings indicating that the effects involve activation of β -adrenergic receptors within the amygdaloid complex. Presumably, such effects are due to blocking of the inhibitory influence of opioid peptides on the release of norepineph-We have also found that the effects of posttraining intraamygdala injections of NE on memory are blocked by lesions of the stria terminalis (ST) (Liang, McGaugh and Yao, 1990). These findings provide further evidence that amygdala efferents mediated by the ST are critical for the memory-modulating effects of treatments affecting amygdala functioning.

DISTRIBUTION STATEMENT A

We have also completed an extensive set of experiments examining the effects of GABAergic drugs on memory. We confirmed and extended previous findings indicating that, when administered systemically posttraining, retention is enhanced by GABAergic antagonists, including picrotoxin and bicuculline, and impaired by GABAergic agonists, including the GABA-A agonist muscimol and the GABA-B agonist baclofen (Brioni and McGaugh, 1988; Castellano, Introini-Collison, Pavone and McGaugh, 1989; Castellano, Brioni, Nagahara and McGaugh, 1989; Castellano and McGaugh, 1989; Castellano, Brioni and McGaugh, in press; McGaugh, Castellano and Brioni, 1990). Comparable effects are found in several aversively-motivated tasks. Further the effects are not due to the induction of state-dependency (Castellano and McGaugh, 1989; Castellano and McGaugh, in press). More importantly, we have found that effects comparable to those produced by systemic injections of GABAergic drugs are produced when these drugs are administered via intra-amygdala injections (Brioni, Nagahara and McGaugh, 1989; Castellano, Brioni, Nagahara and McGaugh, 1989). The memory modulating effects of GABAergic antagonists, like those we produced by NE and naloxone, are blocked by propranolol (unpublished findings). We have also found (unpublished findings) that the effects of GABAergic drugs on memory are blocked by lesions of the amygdala and dorsal hippocampus, but are not blocked by lesions of the caudate. Thus, findings provide additional evidence indicating that a variety of hormonal and neuromodulatory systems affect memory through influences involving the amygdaloid complex. In addition, recent findings of the effects of hippocampal lesions suggest that that structure, as well may be involved in mediating the effects of neuromodulatory systems on memory storage. As has been reported in many previous studies, lesions of the amygdala, hippocampus and caudate impair performance in the inhibitory avoidance task (unpublished findings; Cahill and McGaugh, in press).


In other recent work we have found that the memory-modulating effects of oxotremorine and scopolomine (a cholinergic agonist and antagonist, respectively) are blocked by lesions of the ST (Introini-Collison, Arai and McGaugh, #1989). These effects are highly comparable to those obtained in previous studies of the effects of ST lesions on the memory-modulating effects of naloxone, β -endorphin, and epinephrine (McGaugh, 1990). We have also found that, in contrast to these other findings, that retention is not influenced by posttraining intra-amygdala injections of cholinergic drugs. Memory is, however, influenced by injections administered prior to training. Thus, the cholinergic effects appear to involve different mechanisms.

We have also obtained evidence indicating that different brain regions may be involved in regulating learning of different types of tasks. For example, spatial learning in a Morris water maze is impaired by pre-training (but not posttraining) intra-septal injections of muscimol (Brioni, Decker, Gamboa, Izquierdo and McGaugh, in press). These effects appear to be mediated by GABAergic regulation of the septo-hippocampal cholinergic system, such effects influence high affinity choline uptake in the hippocampus.

These are the major findings of research supported by this contract during the past several years. These findings, as well as the findings of a number of related experiments are summarized in detail in the accompanying papers. The findings have provided significant information related to the two major aims of the proposal, as summarized above. In particular, these findings

provide strong support for the finding that the amygdala serves to orchestrate the interaction of hormonal and neurotransmitter systems in regulating memory storage. And, such findings indicate that an account of the neurobiolog of learning and memory must include an understanding of the roles of neuromodulatory systems in regulating the cellular neurobiological process underlying learning and memory.

STATEMENT "A" per Joel Davis ONR/Code 1142BI TELECON 4/6/90



Literature Cited

- Brioni, J.D., Decker, M.W., Gamboa, L.P., Izquierdo, I. and McGaugh, J.L. Muscimol injections in the medial septum impair spatial learning. <u>Brain Research</u>, in press.
- Brioni, J. D. and McGaugh, J. L. Posttraining administration of GABAergic antagonists enhance retention of aversively motivated tasks. <u>Psychopharmacology</u>, 1988, <u>96</u>, 505-510.
- Brioni, J.D., Nagahara, A.H. and McGaugh, J.L. Involvement of the amygdala GABAergic system in the modulation of memory storage. <u>Brain Research</u>, 1989, 487, 105-112.
- Cahill, L. and McGaugh, J. L. Amygdaloid complex lesions differentially affect retention of tasks using appetitive and aversive reinforcement. <u>Behavioral Neuroscience</u>, in press.
- Castellano, C., Brioni, J.D. and McGaugh, J.L. GABAergic modulation of memory. In: L. Squire and Lindenlaub (Fds.), <u>Biology of Memory</u>, Schattauer: Verlag, in press.
- Castellano, C., Brioni, J.D., Nagahara, A.H. and McGaugh, J.L. Posttraining systemic and intra-amygdala administration of the gaba-b agonist baclofen impair retention. <u>Behavioral and Neural Biology</u>, 1989, <u>52</u>, 170-179.
- Castellano, C., Introini-Collison, I.B., Pavone, F. and McGaugh, J.L. Effects of naloxone and naltrexone on memory consolidation in CDl mice: involvement of GABAergic mechanisms. <u>Pharmacology</u>, <u>Biochemistry</u> and <u>Behavior</u>, 1989, <u>32</u>, 563-567.
- Castellano, C., and McGaugh, J.L. Retention enhancement with posttraining picrotoxin: lack of state dependency. <u>Behavioral and Neural Biology</u>, 1989, 51, 165-170.
- Castellano, C. and McGaugh, J.L. Effects of post-training bicuculline and muscimol on retention: Lack of state dependency. <u>Behavioral and Neural Biology</u>, in press.
- Introini-Collison, I.B., Arai, Y. and McGaugh, J.L. Stria terminalis lesions attenuate the effects of posttraining oxotremorine and atropine on retention. Psychobiology, 1989, 17, 397-401.
- Introini-Collison, I. B., Nagahara, A. H., McGaugh, J. L. Memory-enhancement with intra-amygdala posttraining naloxone is blocked by concurrent administration of propranolol. <u>Brain Research</u>, 1989, <u>476</u>, 94-101.
- Liang, K.C., McGaugh, J.L. and Yao, H.-Y. Involvement of amygdala pathways in the influence of posttraining amygdala norepinephrine and peripheral epinephrine on memory storage. <u>Brainsearch</u>, 1990, <u>508</u>, 225-233.
- McGaugh, J.L. Modulation of memory stores processes. In P.R. Solomon, G.R. Goethals, C.M. Kelley, and B.R. Stellens (Eds.), Memory: Interdisciplinary Approaches. New York: Springer Verlag, 1989, pp. 33-64.
- McGaugh, J. L. Involvement of hormonal and neuromodulatory systems in the regulation of memory storage. <u>Annual Review of Neuroscience</u>, 1989, <u>12</u>, 255-287.
- McGaugh, J.L. Significance and Remembrance: The Role of Neuromodulatory Systems. <u>Psychological Science</u>, 1990, <u>1</u>, 15-25.
- McGaugh, J.L., Castellano, C. and Brioni, J.D. Picrotoxin enhances latent extinction of conditioned fear. <u>Behavioral Neuroscience</u>, 1990, <u>104</u>, 262-265.
- McGaugh, J. L. and Gold, P. E. Hormonal modulation of memory. In R. B. Brush and S. Levine (Eds.), <u>Psychoendocrinology</u>, New York: Academic Press, 1989, pp. 305-339.

Index of Publications (reprints provided to Scientific Officer)

- Brioni, J. D. and McGaugh, J. L. Posttraining administration of GABAergic antagonists enhance retention of aversively motivated tasks. <u>Psychopharmacology</u>, 1988, <u>96</u>, 505-510.
- McGaugh, J. L. Involvement of hormonal and neuromodulatory systems in the regulation of memory storage. <u>Annual Review of Neuroscience</u>, 1989, <u>12</u>, 255-287.
- McGaugh, J. L., Introini-Collison, I. B., Nagahara, A. H. and Cahill, L. Involvement of the Amygdala in Hormonal and Neurotransmitter Interactions in the Modulation of Memory Storage. In T. Archer and L-G Nilsson (Eds.), Aversion, Avoidance, and Anxiety, Perspectives on Aversively Motivated Behavior. Hillsdale, New Jersey: Lawrence Erlbaum, pp. 231-249, 1989. Introini-Collison, I. B., Nagahara, A. H., McGaugh, J. L. Memory-enhancement
- Introini-Collison, I. B., Nagahara, A. H., McGaugh, J. L. Memory-enhancement with intra-amygdala posttraining naloxone is blocked by concurrent administration of propranolol. <u>Brain Research</u>, 1989, 476, 94-101.
- Castellano, C., and McGaugh, J.L. Retention enhancement with posttraining picrotoxin: lack of state dependency. <u>Behavioral and Neural Biology</u>, 1989, 51, 165-170.
- Decker, M. W. and McGaugh, J. L. Effects of concurrent manipulations of cholinergic and noradrenergic function on learning and retention in mice. <u>Brain</u> <u>Research</u>, 1989, <u>477</u>, 29-37.
- Castellano, C., Introini-Collison, I.B., Pavone, F. and McGaugh, J.L. Effects of naloxone and naltrexone on memory consolidation in CDl mice: involvement of GABAergic mechanisms. <u>Pharmacology, Biochemistry and Behavior</u>, 1989, 32, 563-567.
- Castellano, C. and McGaugh, J. L. Effect of morphine on one-trial inhibitory avoidance in mice: lack of state dependency. <u>Psychobiology</u>, 1989, <u>17</u>, 89-92.
- Brioni, J.D., Nagahara, A.H. and McGaugh, J.L. Involvement of the amygdala GABAergic system in the modulation of memory storage. <u>Brain Research</u>, 1989, 487, 105-112.
- Brioni, J.D., McGaugh, J.L. and Izquierdo, I. Amnesia induced by short-term treatment with ethanol: Attenuation by pre-test oxotremorine. <u>Pharmacology</u>, <u>Biochemistry</u> and <u>Behavior</u>, 1989, <u>33</u>, 27-29.
- Castellano, C., Brioni, J.D., Nagahara, A.H. and McGaugh, J.L. Posttraining systemic and intra-amygdala administration of the gaba-b agonist baclofen impair retention. <u>Behavioral and Neural Biology</u>, 1989, <u>52</u>, 170-179.
- Decker, M.W., Introini-Collison, I.B. and McGaugh, J.L. Effects of naloxone on Morris water maze learning in the rat: Enhanced acquisition with pretraining but not posttraining administration. <u>Psychobiology</u>, 1989, <u>17</u>, 270-275.
- Zhang, S., Introini-Collison, I.B. and McGaugh, J.L. Effect of bestatin, an aminopeptidase inhibitor, on memory in inhibitory avoidance and y-maze discrimination tasks. <u>Psychobiology</u>, 1989, <u>17</u>, 323-325.
- McGaugh, J. L. and Gold, P. E. Hormonal modulation of memory. In R. B. Brush and S. Levine (Eds.), <u>Psychoendocrinology</u>, New York: Academic Press, 1989, pp. 305-339.
- Introini-Collison, I.B. and McGaugh, J.L. Cocaine enhances memory storage in mice. Psychopharmacology, 1989, 99, 537-541.
- McGaugh, J.L. Dissociating learning and performance: drug and hormone enhancement of memory storage. <u>Brain Research Bulletin</u>, 1989, <u>23</u>, 339-345.

- Introini-Collison, I.B., Araí, Y. and McGaugh, J.L. Stria terminalis lesions attenuate the effects of posttraining oxotremorine and atropine on retention. <u>Psychobiology</u>, 1989, <u>17</u>, 397-401.
- McGaugh, J.L. Significance and Remembrance: The Role of Neuromodulatory Systems. <u>Psychological Science</u>, 1990, <u>1</u>, 15-25.
- Liang, K.C., McGaugh, J.L. and Yao, H.-Y. Involvement of amygdala pathways in the influence of posttraining amygdala norepinephrine and peripheral epinephrine on memory storage. <u>Brain Research</u>, 1990, <u>508</u>, 225-233.
- McGaugh, J.L., Castellano, C. and Brioni, J.D. Picrotoxin enhances latent extinction of conditioned fear. <u>Behavioral Neuroscience</u>, 1990, <u>104</u>, 262-265.

In Press:

- McGaugh, J.L. Involvement of the amygdala in the influence of neuromodulatory systems on memory storage. In A. Shimamura, L.R. Squire and M. Mishkin (Eds.), <u>Discussions in Neurosciences</u>. Amsterdam, North Holland: Elsevier. In press.
- McGaugh, J.L. Neuromodulation and the storage of information: Involvement of the amygdaloid complex. In R.G. Lister and H.J. Weingartner (Eds.), <u>Perspectives in Cognitive Neuroscience</u>. New York: Oxford University Press. In press.
- Decker, M.W., Gill, T.M. and McGaugh, J.L. Concurrent muscarinic and betaadrenergic blockade in rats impairs place-learning in a water maze and retention of inhibitory avoidance. <u>Brain Research</u>, in press.
- Decker, M.W., Tran, T. and McGaugh, J.L. A comparison of the effects of scopolamine and diazepam on acquistion and retention of inhibitory avoidance in mice. <u>Psychopharmacology</u>, in press.
- Castellano, C., Brioni, J.D. and McGaugh, J.L. GABAergic modulation of memory. In: L. Squire and Lindenlaub (Eds.), <u>Biology of Memory</u>, Schattauer: Verlag, in press.
- Introini-Collison, I.B. and McGaugh, J.L. Interaction of hormones and neuro-transmitter systems in the modulation of memory storage. In: R.C.A. Frederickson, J.L. McGaugh, and D.L. Felten (Eds.), <u>Peripheral Signaling of the Brain: Neural-immune and Cognitive Function</u>. Toronto: Hogrefe & Huber Publishers, in press.
- Cahill, L. and McGaugh, J. L. Amygdaloid complex lesions differentially affect retention of tasks using appetitive and aversive reinforcement. <u>Behavioral Neuroscience</u>, in press.
- Castellano, C. and McGaugh, J.L. Effects of post-training bicuculline and muscimol on retention: Lack of state dependency. <u>Behavioral and Neural Biology</u>, in press.
- Brioni, J.D., Decker, M.W., Gamboa, L.P., Izquierdo, I. and McGaugh, J.L. Muscimol injections in the medial septum impair spatial learning. <u>Brain Research</u>, in press.